L Number	Hits	Search Text	DB	Time stamp
-	46	emboss$3 near (die tool stamp) and (high adj aspect) and electro$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:34
-	15	emboss$3 near (die tool stamp) and (high adj aspect) and electrodep$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:36
-	12	emboss$3 near (die tool stamp) and (high adj aspect) and electrolyt$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:36
-	46	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) (emboss$3 near (die tool stamp) and (high adj aspect) and electrodep$10) (emboss$3 near (die tool stamp) and (high adj aspect) and electrolyt$10)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:51
-	1	(US-20030038105-$).did.	US-PGPUB	2004/01/27 09:51
-	1	((US-20030038105-$).did.) and high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 09:51
-	8	(US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/01/27 10:28
-	6	((US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.) and etch$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:29
-	6	(((US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.) and etch$3) and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:29
-	1	(((US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.) and etch$3) and ratio near "1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 10:30
-	6	(((US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.) and etch$3) and high adj aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:29
-	7	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pointed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:30
-	5	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and obelisk	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:29
-	7	((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pointed) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and obelisk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:30
-	13	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and (sharp conical needle needle-like)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44

-		18	(((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pointed) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and obelisk)) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and (sharp conical needle needle-like))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:31
-		0	((US-6422528-$ or US-6284072-$ or US-5575878-$ or US-5279689-$).did. or (US-20020179449-$ or US-20010041307-$).did. or (US-6350360-$).did. or (NN8607532).tban.) AND ((((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pointed) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and obelisk)) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and (sharp conical needle needle-like)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:32
-		12	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pyramid$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44
-		17	(emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and ridges	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:44
-		25	((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and pyramid$3) ((emboss$3 near (die tool stamp) and (high adj aspect) and electro$8) and ridges)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:52
-		0	emboss and perot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 11:52
-		56	emboss$3 and (fabry adj perot fabry-perot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:22
-		59	emboss$3 and perot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:23
-		672	emboss$3 and fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:24
-		125	emboss$3 with fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:24
-		9	emboss$3 near fresnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:28
-		2	emboss$3 near microneedle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:29

–	2	emboss$3 near microneedle and (si silicon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:30
–	11	emboss$3 with microneedle and (si silicon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 12:30
–	98	high adj aspect and emboss$3 and (electroplat$3 electroform$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:07
–	3	high adj aspect with emboss$3 with (electroplat$3 electroform$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:08
–	0	20030038105.URPN.	USPAT	2004/02/12 16:08
–	1	2003-418127.NRAN.	DERWENT	2004/02/12 16:08
–	6	high adj aspect with emboss$3 same (electroplat$3 electroform$3) not (high adj aspect with emboss$3 with (electroplat$3 electroform$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:19
–	0	(metal metallic) near die with emboss$3 same ((high adj aspect) "5:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
–	0	(metal metallic) with die with emboss$3 same ((high adj aspect) "5:1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
–	475	(metal metallic) with die with emboss$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:21
–	80	(metal metallic) near die with emboss$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
–	0	(metal metallic) near die with emboss$3 same ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
–	3	(metal metallic) near die with emboss$3 and aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:22
–	26	(metal metallic) near die with emboss$3 and ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:30
–	0	20030187170.URPN.	USPAT	2004/02/13 14:28
–	27	(metal metallic) with die with emboss$3 and aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35

		54	((metal metallic) near die with emboss$3) not (((metal metallic) near die with emboss$3 and ratio) ((metal metallic) near die with emboss$3 and aspect adj ratio) ((metal metallic) with die with emboss$3 and aspect adj ratio))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 14:35